

FIG. 4




FIG. 5a

PRINT LEVEL 1 File Edit View Go Communicator Help (K) <\>  $\Im$  $\bigcirc$ ✡ 盃 Му **Print** Reload Home Search Netscape Back Forward What's Related Location: [http://moonunit.austin.ibm. Bookmarks **AYellow Pages Download New & Cool Æ** WebMail People 2 Channels This Package **Previous** All Packages Class Hierarchy Interface com.sun.java.swing.lcon 504 public interface Icon FROM A small fixed size picture, typically used to decorate components. FIG. 5a See Also: Imagelcon -Method Index getIconHeight() getlconWidth() • paintlcon(Component, Graphics, int, int) Draw the icon at the specified location. ڪ 🖹 PRINT LEVEL 2 Edit **View** Go Communicator Help (M) (公 ₿ 偷 Му **Print** Reload Home Search Netscape Back Forward Location: | http://moonunit.austin.ibm. What's Related **Bookmarks ZYellow Pages Download New & Cool** Channels A People Class Hierarchy This Package **Previous** All Packages Class com.sun.java.swing.lmagelcon 508 java.lang.object +---com.sun.java.swing.lmagelcon public class Imagelcon extends Object implements <u>Icon</u>, Serializable An implementation of the Icon interface that paints Icons from Images. Images that are created from a URL or filename are preloaded using MediaTracker to monitor the loaded state of the image. Variable Index



